




THE CLAIMS:

A marked-up version of the amended claims, with deletions indicated by bracketing and additions indicated by underlining, is included as Appendix A.

Please cancel claims 14-17, 94-97 and 111-113 without prejudice.

Please amend claims 5, 6, 10-13, 18-20, 71-74, 85, 107-109, 114 and 115 to recite as follows:

5. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is $-(CH_2)_bCH=CH(CH_2)_c-$;

R_1 is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R_3 ;

R_2 is $-R_3$, $-(CH_2)_bC(=O)R_5$, $-(CH_2)_bC(=O)OR_5$, $-(CH_2)_bC(=O)NR_5R_6$, $-(CH_2)_bC(=O)NR_5(CH_2)_cC(=O)R_6$, $-(CH_2)_bNR_5C(=O)R_6$, $-(CH_2)_bNR_5C(=O)NR_6R_7$, $-(CH_2)_bNR_5R_6$, $-(CH_2)_bOR_5$, $-(CH_2)_bSO_dR_5$ or $-(CH_2)_bSO_2NR_5R_6$;

b and c are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

d is at each occurrence 0, 1 or 2;

R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkoxy, $-C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, $-NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$, $-NR_8C(=O)R_9$, $-NR_8C(=O)(CH_2)_bOR_9$, $-NR_8C(=O)(CH_2)_bR_9$, $-O(CH_2)_bNR_8R_9$;


R_5 , R_6 and R_7 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl,

wherein each of R₅, R₆ and R₇ are optionally substituted with one to four substituents independently selected from R₃; and

R₈ and R₉ are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R₈ and R₉ taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R₈, R₉, and R₈ and R₉ taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R₃.

B1
cont

6. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is $-(CH_2)_bC \equiv C(CH_2)_c-$;

R₁ is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R₃;

R₂ is -R₃, -R₄, $-(CH_2)_bC(=O)R_5$, $-(CH_2)_bC(=O)OR_5$, $-(CH_2)_bC(=O)NR_5R_6$, $-(CH_2)_bC(=O)NR_5(CH_2)_cC(=O)R_6$, $-(CH_2)_bNR_5C(=O)R_6$, $-(CH_2)_bNR_5C(=O)NR_6R_7$, $-(CH_2)_bNR_5R_6$, $-(CH_2)_bOR_5$, $-(CH_2)_bSO_dR_5$ or $-(CH_2)_bSO_2NR_5R_6$;

~~b and c are the same or different and at each occurrence independently~~
selected from 0, 1, 2, 3 or 4;

d is at each occurrence 0, 1 or 2;

R₃ is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, $-C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, $-NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$,

$-\text{NR}_8\text{C}(=\text{O})\text{R}_9$, $-\text{NR}_8\text{C}(=\text{O})(\text{CH}_2)_b\text{OR}_9$, $-\text{NR}_8\text{C}(=\text{O})(\text{CH}_2)_b\text{R}_9$,
 $-\text{O}(\text{CH}_2)_b\text{NR}_8\text{R}_9$, or heterocycle fused to phenyl;


R_4 is alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, each being optionally substituted with one to four substituents independently selected from R_3 , or R_4 is halogen or hydroxy;

R_5 , R_6 and R_7 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R_5 , R_6 and R_7 are optionally substituted with one to four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R_8 and R_9 taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9 taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R_3 .

B1
cont

10. (Twice amended) A compound having the structure:



B2

or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, $-(\text{CH}_2)_a-$, $-(\text{CH}_2)_b\text{CH}=\text{CH}(\text{CH}_2)_c-$, or $-(\text{CH}_2)_b\text{C}\equiv\text{C}(\text{CH}_2)_c-$;

R_1 is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R_3 ;

R_2 is $-(\text{CH}_2)_b\text{C}(=\text{O})\text{R}_5$;

a is 1, 2, 3, 4, 5 or 6;

b and c are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl,


heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, $-C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, $-NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$, $-NR_8C(=O)R_9$, $-NR_8C(=O)(CH_2)_bOR_9$, $-NR_8C(=O)(CH_2)_bR_9$, $-O(CH_2)_bNR_8R_9$, or heterocycle fused to phenyl;

R_5 , R_6 and R_7 are the same or different and at each occurrence independently alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R_5 , R_6 and R_7 are optionally substituted with one to four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R_8 and R_9 taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9 taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R_3 .

B₂
cont

11. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, $-(CH_2)_a-$, $-(CH_2)_bCH=CH(CH_2)_c-$, or $-(CH_2)_bC \equiv C(CH_2)_c-$;

R_1 is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R_3 ;

R_2 is $-(CH_2)_bC(=O)NR_5R_6$;

a is 1, 2, 3, 4, 5 or 6;

b and c are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl,


heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, $-C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, $-NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$, $-NR_8C(=O)R_9$, $-NR_8C(=O)(CH_2)_bOR_9$, $-NR_8C(=O)(CH_2)_bR_9$, $-O(CH_2)_bNR_8R_9$, or heterocycle fused to phenyl;

R_5 , R_6 and R_7 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R_5 , R_6 and R_7 are optionally substituted with one to four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R_8 and R_9 taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9 taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R_3 .

B2
cont

12. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, $-(CH_2)_a-$, $-(CH_2)_bCH=CH(CH_2)_c-$, or $-(CH_2)_bC\equiv C(CH_2)_c-$;

R_1 is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R_3 ;

R_2 is $-(CH_2)_bNR_5C(=O)R_6$;

a is 1, 2, 3, 4, 5 or 6;

b and c are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl,


heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, $-C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, $-NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$, $-NR_8C(=O)R_9$, $-NR_8C(=O)(CH_2)_bOR_9$, $-NR_8C(=O)(CH_2)_bR_9$, $-O(CH_2)_bNR_8R_9$, or heterocycle fused to phenyl;

R_5 , R_6 and R_7 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R_5 , R_6 and R_7 are optionally substituted with one to four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R_8 and R_9 taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9 taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R_3 .

B2

13. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, $-(CH_2)_a-$, $-(CH_2)_bCH=CH(CH_2)_c-$, or $-(CH_2)_bC \equiv C(CH_2)_c-$;

R_1 is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R_3 ;

R_2 is $-(CH_2)_bNR_5R_6$;

a is 1, 2, 3, 4, 5 or 6;

b and c are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl,

heterocycle, heterocyclealkyl, substituted heterocyclealkyl, -
 $C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, -
 $NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$, $-NR_8C(=O)R_9$, -
 $NR_8C(=O)(CH_2)_bOR_9$, $-NR_8C(=O)(CH_2)_bR_9$, $-O(CH_2)_bNR_8R_9$, or
 heterocycle fused to phenyl;


R_5 , R_6 and R_7 are the same or different and at each occurrence independently
 hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl,
 wherein each of R_5 , R_6 and R_7 are optionally substituted with one to
 four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently
 hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or
 R_8 and R_9 taken together with the atom or atoms to which they are
 bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9
 taken together to form a heterocycle are optionally substituted with
 one to four substituents independently selected from R_3 .

B2
-cmt

18. (Twice amended) A compound having the structure:

B3



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, $-(CH_2)_a-$, $-(CH_2)_bCH=CH(CH_2)_c-$, or $-(CH_2)_bC \equiv C(CH_2)_c-$;

R_1 is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally
 substituted with one to four substituents independently selected from
 R_3 ;

R_2 is R_4 ;

a is 1, 2, 3, 4, 5 or 6;

b and c are the same or different and at each occurrence independently
 selected from 0, 1, 2, 3 or 4;

R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkyl,
 alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl,
 hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl,

heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, $-\text{C}(=\text{O})\text{OR}_8$, $-\text{C}(=\text{O})\text{R}_8$, $-\text{C}(\text{O})\text{NR}_8\text{R}_9$, $-\text{C}(=\text{O})\text{NR}_8\text{OR}_9$, $-\text{SO}_2\text{NR}_8\text{R}_9$, $-\text{NR}_8\text{SO}_2\text{R}_9$, $-\text{CN}$, $-\text{NO}_2$, $-\text{NR}_8\text{R}_9$, $-\text{NR}_8\text{C}(=\text{O})\text{R}_9$, $-\text{NR}_8\text{C}(=\text{O})(\text{CH}_2)_b\text{OR}_9$, $-\text{NR}_8\text{C}(=\text{O})(\text{CH}_2)_b\text{R}_9$, $-\text{O}(\text{CH}_2)_b\text{NR}_8\text{R}_9$, or heterocycle fused to phenyl;

R_4 is 3-triazolyl, optionally substituted at its 5-position with:


- (a) a C_1 - C_4 straight or branched chain alkyl group optionally substituted with a hydroxyl, methylamino, dimethylamino or 1-pyrrolidinyl group; or
- (b) a 2-pyrrolidinyl group;

R_5 , R_6 and R_7 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R_5 , R_6 and R_7 are optionally substituted with one to four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R_8 and R_9 taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9 taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R_3 .

B3
cont

19. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, $-(\text{CH}_2)_a-$, $-(\text{CH}_2)_b\text{CH}=\text{CH}(\text{CH}_2)_c-$, or $-(\text{CH}_2)_b\text{C}\equiv\text{C}(\text{CH}_2)_c-$;

R_1 is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R_3 ;

R_2 is R_4 ;

a is 1, 2, 3, 4, 5 or 6;

b and *c* are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, $-C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, $-NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$, $-NR_8C(=O)R_9$, $-NR_8C(=O)(CH_2)_bOR_9$, $-NR_8C(=O)(CH_2)_bR_9$, $-O(CH_2)_bNR_8R_9$, or heterocycle fused to phenyl;


R_4 is tetrazole;

R_5 , R_6 and R_7 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R_5 , R_6 and R_7 are optionally substituted with one to four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R_8 and R_9 taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9 taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R_3 .

B3
cont

20. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, $-(CH_2)_a-$, $-(CH_2)_bCH=CH(CH_2)_c-$, or $-(CH_2)_bC\equiv C(CH_2)_c-$;

R_1 is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R_3 ;

R_2 is R_4 ;

a is 1, 2, 3, 4, 5 or 6;

b and *c* are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;


*R*₃ is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, -C(=O)OR₈, -C(=O)R₈, -C(O)NR₈R₉, -C(=O)NR₈OR₉, -SO₂NR₈R₉, -NR₈SO₂R₉, -CN, -NO₂, -NR₈R₉, -NR₈C(=O)R₉, -NR₈C(=O)(CH₂)_{*b*}OR₉, -NR₈C(=O)(CH₂)_{*b*}R₉, -O(CH₂)_{*b*}NR₈R₉, or heterocycle fused to phenyl;

*R*₄ is imidazole;

*R*₅, *R*₆ and *R*₇ are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of *R*₅, *R*₆ and *R*₇ are optionally substituted with one to four substituents independently selected from *R*₃; and

*R*₈ and *R*₉ are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or *R*₈ and *R*₉ taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of *R*₈, *R*₉, and *R*₈ and *R*₉ taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from *R*₃.

71. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, -(CH₂)_{*a*}-, -(CH₂)_{*b*}CH=CH(CH₂)_{*c*}-, or -(CH₂)_{*b*}C≡C(CH₂)_{*c*}-;

*R*₁ is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from *R*₃;

R_2 is $-(CH_2)_bC(=O)NR_5R_6$, $-(CH_2)_bNR_5C(=O)R_6$, 3-triazolyl or 5-tetrazolyl,

a is 1, 2, 3, 4, 5 or 6;

b is 0;


c is at each occurrence 0, 1, 2, 3 or 4;

R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, $-C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, $-NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$, $-NR_8C(=O)R_9$, $-NR_8C(=O)(CH_2)_bOR_9$, $-NR_8C(=O)(CH_2)_bR_9$, $-O(CH_2)_bNR_8R_9$, or heterocycle fused to phenyl;

R_5 , R_6 and R_7 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R_5 , R_6 and R_7 are optionally substituted with one to four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R_8 and R_9 taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9 taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R_3 .

72. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, $-(CH_2)_a-$, $-(CH_2)_bCH=CH(CH_2)_c-$, or $-(CH_2)_bC\equiv C(CH_2)_c-$;

R_1 is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R_3 ;

R_2 is 3-triazolyl or 5-tetrazolyl,

a is 1, 2, 3, 4, 5 or 6;

b and c are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;


R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, $-C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, $-NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$, $-NR_8C(=O)R_9$, $-NR_8C(=O)(CH_2)_bOR_9$, $-NR_8C(=O)(CH_2)_bR_9$, $-O(CH_2)_bNR_8R_9$, or heterocycle fused to phenyl;

R_5 , R_6 and R_7 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R_5 , R_6 and R_7 are optionally substituted with one to four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R_8 and R_9 taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9 taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R_3 .

By
cmt

73. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

$-A-R_1$ is phenyl, optionally substituted with one to four substituents independently selected from halogen, alkoxy, $-NR_8C(=O)R_9$, $-C(=O)NR_8R_9$,

and $-O(CH_2)_bNR_8R_9$, wherein b is 2 or 3;

R_2 is $-(CH_2)_bC(=O)NR_5R_6$, $-(CH_2)_bNR_5C(=O)R_6$, 3-triazolyl or 5-tetrazolyl, wherein b is 0;

a is 1, 2, 3, 4, 5 or 6;

c is at each occurrence 0, 1, 2, 3 or 4;


R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, $-C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, $-NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$, $-NR_8C(=O)R_9$, $-NR_8C(=O)(CH_2)_bOR_9$, $-NR_8C(=O)(CH_2)_bR_9$, $-O(CH_2)_bNR_8R_9$, or heterocycle fused to phenyl;

R_5 , R_6 and R_7 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R_5 , R_6 and R_7 are optionally substituted with one to four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R_8 and R_9 taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9 taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R_3 .

B4
cont

74. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

$-A-R_1$ is phenyl, optionally substituted with one to four substituents independently selected from halogen, alkoxy, $-NR_8C(=O)R_9$, $-C(=O)NR_8R_9$, and $-O(CH_2)_bNR_8R_9$;

R_2 is 3-triazolyl or 5-tetrazolyl;

B4
cont
 a is 1, 2, 3, 4, 5 or 6;

b is 2 or 3;


c is at each occurrence 0, 1, 2, 3 or 4;

R_3 is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, $-C(=O)OR_8$, $-C(=O)R_8$, $-C(O)NR_8R_9$, $-C(=O)NR_8OR_9$, $-SO_2NR_8R_9$, $-NR_8SO_2R_9$, $-CN$, $-NO_2$, $-NR_8R_9$, $-NR_8C(=O)R_9$, $-NR_8C(=O)(CH_2)_bOR_9$, $-NR_8C(=O)(CH_2)_bR_9$, $-O(CH_2)_bNR_8R_9$, or heterocycle fused to phenyl;

R_5 , R_6 and R_7 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of R_5 , R_6 and R_7 are optionally substituted with one to four substituents independently selected from R_3 ; and

R_8 and R_9 are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or R_8 and R_9 taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of R_8 , R_9 , and R_8 and R_9 taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from R_3 .

B5
85. (Twice amended) A compound having the structure:



or a pharmaceutically acceptable salt thereof, wherein:

A is a direct bond, $-(CH_2)_a-$, $-(CH_2)_bCH=CH(CH_2)_c-$, or $-(CH_2)_bC \equiv C(CH_2)_c-$;

R_1 is aryl, heteroaryl or heterocycle fused to phenyl, each being optionally substituted with one to four substituents independently selected from R_3 ;

R_2 is R_4 ;

a is 1, 2, 3, 4, 5 or 6;

b and *c* are the same or different and at each occurrence independently selected from 0, 1, 2, 3 or 4;

*R*₃ is at each occurrence independently halogen, hydroxy, carboxy, alkyl, alkoxy, haloalkyl, acyloxy, thioalkyl, sulfinylalkyl, sulfonylalkyl, hydroxyalkyl, aryl, substituted aryl, arylalkyl, substituted arylalkyl, heterocycle, substituted heterocycle, heterocyclealkyl, substituted heterocyclealkyl, -C(=O)OR₈, -C(=O)R₈, -C(O)NR₈R₉, -C(=O)NR₈OR₉, -SO₂NR₈R₉, -NR₈SO₂R₉, -CN, -NO₂, -NR₈R₉, -NR₈C(=O)R₉, -NR₈C(=O)(CH₂)_bOR₉, -NR₈C(=O)(CH₂)_bR₉, -O(CH₂)_bNR₈R₉, or heterocycle fused to phenyl;

*R*₄ is 3-triazolyl, optionally substituted at its 5-position with:

(a) methyl, n-propyl, isopropyl, 1-hydroxyethyl, 3-hydroxypropyl, methylaminomethyl, dimethylaminomethyl, 1-(dimethylamino)ethyl, 1-pyrrolidinylmethyl or 2-pyrrolidinyl;

*R*₅, *R*₆ and *R*₇ are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle or heterocyclealkyl, wherein each of *R*₅, *R*₆ and *R*₇ are optionally substituted with one to four substituents independently selected from *R*₃; and

*R*₈ and *R*₉ are the same or different and at each occurrence independently hydrogen, alkyl, aryl, arylalkyl, heterocycle, or heterocyclealkyl, or *R*₈ and *R*₉ taken together with the atom or atoms to which they are bonded form a heterocycle, wherein each of *R*₈, *R*₉, and *R*₈ and *R*₉ taken together to form a heterocycle are optionally substituted with one to four substituents independently selected from *R*₃.

107. (Amended) A compound of claim 10, wherein the compound is:

1-{(3-(4-fluorophenyl)-1H-indazol-5-yl)carbonyl} piperidine-4-carboxylic acid;

3-(4-fluorophenyl)(1H-indazol-5-yl) pyrrolidinyl ketone;

3-(4-fluorophenyl)(1H-indazol-5-yl)piperazinyl ketone;

1-(3-(4-fluorophenyl)-1H-indazol-5-yl)-2-phenylethan-1-one;

1-(3-(4-fluorophenyl)-1H-indazol-5-yl)ethan-1-one; or a pharmaceutically

acceptable salt thereof.

108. (Amended) A compound of claim 11, wherein the compound is:

3-(4-fluorophenyl)-1H-indazole-5-carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-benzamide;

N-(2-(dimethylamino)ethyl)3-(4-fluorophenyl) (1H-indazol-5-yl))carboxamide;

methyl 4-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino)benzoate;

4-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino)benzoic acid;

4-((3-(4-fluorophenyl)-1H-indazole-5-yl)carbonylamino)benzamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-pyridyl)carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-pyridyl)carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(4-pyridyl)carboxamide;

tert-butyl 3-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino)propanoate;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-hydroxyphenyl)carboxamide;

3-((3-(4-fluorophenyl)-1H-Indazol-5-yl)carbonylamino)propanoic acid;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-nitrophenyl)carboxamide;

tert-butyl-2-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino)acetate;

4-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino)butanoic acid;

N-(3-aminophenyl)(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;

2-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino)acetic acid;

5-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino)pentanoic acid;

4-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino)methylbenzoic acid;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(4-pyridylmethyl)carboxamide;

2-(4-((3-(4-fluorophenyl)-1H-indazol-5-yl)carbonylamino)phenyl)acetic acid;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N,N-dimethylcarboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-methylcarboxamide;

N-(3-aminoethyl)(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;

N-(3-aminopropyl)(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-hydroxypropyl)carboxamide;

N-(2H-1,2,3,4-tetrazol-5-yl)(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;

{3-(4-fluorophenyl)(1H-indazol-5-yl)}-N-(3-morpholin-4-ylpropyl)carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-pyridylmethyl)carboxamide;

N-(((2R)-2-hydroxycyclohexyl)methyl)(3-(4-fluorophenyl)(1H-indazole-5-

yl)carboxamide;

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-(1-methylimidazol-5-yl)ethyl)carboxamide);

(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-pyridylmethyl)carboxamide;

N-(2-carbamoyl)ethyl(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;

N-(3-carbamoylpropyl)(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;

3-(4-methoxyphenyl)-1H-indazole-5-carboxamide;

3-(4-hydroxyphenyl)-1H-indazole-5-carboxamide;

3-(2-naphthyl)-1H-indazole-5-carboxamide;

3-benzo(b)thiophen-2-yl-1H-indazole-5-carboxamide;

3-benzo(d)furan-2-yl-1H-indazole-5-carboxamide;

3-(3-(methylethyl)phenyl)-1H-indazole-5-carboxamide;

3-(4-(dimethylamino)phenyl)-1H-indazole-5-carboxamide;

3-(3-furyl)-1H-indazole-5-carboxamide;

3-{4-(2-(dimethylamino)ethoxy)phenyl}-1H-indazole-5-carboxamide;

3-(3,4-dimethoxyphenyl)-1H-indazole-5-carboxamide;

3-(3-aminophenyl)-1H-indazole-5-carboxamide;

3-(2H-benzo(d)1,3-dioxolen-5-yl)-1H-indazole-5-carboxamide;

(3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(methylethyl)carboxamide;

(3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(2-methoxyethyl)carboxamide;

(3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(2-(dimethylamino)ethyl)carboxamide;

(3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(4-(dimethylamino)butyl)carboxamide;

(3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(3-(dimethylamino)propyl)carboxamide;

(3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-(2-methylpropyl)carboxamide;

(3-benzo(d)furan-2-yl(1H-indazol-5-yl))-N-methylcarboxamide;

3-(3-(3-pyridylcarbonylamino)phenyl)-1H-indazole-5-carboxamide;

3-(3-(2-methoxyacetyl)amino)phenyl)-1H-indazole-5-carboxamide;

3-(3-(4-piperidylcarboxyamino)phenyl)-1H-indazole-5-carboxamide;

(1S)-1-{N-(3-(5-carbamoyl(1H-indazol-3-yl))phenyl)carbamoyl}ethyl acetate;

3-{3-(2-methoxyethyl)amino)phenyl}-1H-indazole-5-carboxamide;

3-(3-(3-piperidylpropanoylamino)phenyl)-1H-indazole-5-carboxamide;

3-(3-(2-furylcarbonylamino)phenyl)-1H-indazole-5-carboxamide;

3-{3-(2-(dimethylamino)acetyl)amino)phenyl}-1H-indazole-5-carboxamide;

3-(3-(2-phenylacetyl)amino)phenyl)-1H-Indazole-5-carboxamide;

3-{3-(2-(4-methoxyphenyl)acetylamino)phenyl}-1H-indazole-5-carboxamide;
 3-{3-(2-(2-methyl-1,3-thiazol-5-yl)acetylamino)phenyl}-1H-indazole-5-
 carboxamide;
 3-(3-(oxolan-3-yl-carbonylamino)phenyl)-1H-indazole-5-carboxamide;
 3-(3-(2-(3-thienyl)acetylamino)phenyl)-1H-indazole-5-carboxamide;
 3-(3-(2-thienylcarbonylamino)phenyl)-1H-indazole-5-carboxamide;
 3-(3-(2-(4-pyridyl)acetylamino)phenyl)-1H-Indazole-5-carboxamide;
 3-(3-(2-(2-pyridyl)acetylamino)phenyl)-1H-Indazole-5-carboxamide;
 3-{3-(2-(4-fluorophenyl)acetylamino)phenyl}-1H-indazole-5-carboxamide;
 3-(3-(cyclopropylcarbonylamino)phenyl)-1H-indazole-5-carboxamide;
 3-{3-((3-hydroxyphenyl)carbonylamino)phenyl}-1H-indazole-5-carboxamide;
 3-{3-(2-(2,4-dichlorophenyl)acetylamino)phenyl}-1H-indazole-5-carboxamide;
 3-(3-{2-(4-(trifluoromethyl)phenyl)acetylamino}phenyl)-1H-indazole-5-
 carboxamide;
 3-(3-{2-(4-(dimethylamino)phenyl)acetylamino}phenyl)-1H-indazole-5-
 carboxamide;
 3-{3-(2-(2-chloro-4-fluorophenyl)acetylamino)phenyl}-1H-indazole-5-
 carboxamide;
 3-{3-(2-(4-chlorophenyl)acetylamino)phenyl}-1H-indazole-5-carboxamide;
 3-(3-(3-phenylpropanoylamino)phenyl)-1H-indazole-5-carboxamide;
 3-{3-(3-(4-fluorophenyl)propanoylamino)phenyl}-1H-indazole-5-carboxamide;
 3-{3-(2-(3,4-difluorophenyl)acetylamino)phenyl}-1H-indazole-5-carboxamide;
 3-{3-(2-(2-fluorophenyl)acetylamino)phenyl}-1H-indazole-5-carboxamide;
 3-(3-(2-phenylpropanoylamino)phenyl)-1H-indazole-5-carboxamide;
 3-(3-(2-piperidylethoxy)phenyl)-1H-indazole-5-carboxamide;
 N-ethyl-3-((3-(4-fluorophenyl)(1H-indazol-5-yl))carbonylamino)propanamide;
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-methoxypropyl)carboxamide;
 3-{3-(N-(2-piperidylethyl)carbonyl)phenyl}-1H-indazole-5-carboxamide;
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-hydroxyethyl)carboxamide;
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-hydroxypropyl)carboxamide;
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(2-methoxyethyl)carboxamide;
 (3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(oxolan-2-ylmethyl)carboxamide;
 3-(2H, 3H-benzo(e)1,4-dioxin-6-yl)-1H-indazole-5-carboxamide;

B6
Cm

3-(3-quinolyl)-1H-indazole-5-carboxamide;
3-(6-methoxy-2-naphthyl)-1H-indazole-5-carboxamide;
3-(2,3-dihydrobenzo(b)furan-5-yl)-1H-indazole-5-carboxamide;
(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-(3-oxo-3-pyrrolidinylpropyl) carboxamide;
3-((3-(4-fluorophenyl)(1H-indazol-5-yl))carbonylamino)-N-methyl propanamide;
3-((3-(4-fluorophenyl)(1H-indazol-5-yl))carbonylamino)-N,N-dimethyl
propanamide;
3-((3-(4-fluorophenyl)(1H-indazol-5-yl))carbonylamino)-N-(2-
methoxyethyl)propanamide; or a pharmaceutically acceptable salt thereof.

Sub
B7

109. (Amended) A compound of claim 12, wherein the compound is:
phenyl-N-(3-phenyl(1H-indazol-5-yl))carboxamide;
N-(3-phenyl(1H-indazol-5-yl))-2-pyridylcarboxamide;
methyl 4-(N-(3-phenyl-1H-indazol-5-yl)carbamoyl)benzoate;
4-(N-(3-phenyl-1H-indazol-5-yl)carbamoyl)benzoic acid;
(2-hydroxyphenyl)-N-(3-phenyl(1H-indazol-5-yl))carboxamide;
N-(3-(phenyl-1H-indazole-5-yl))acetamide;
(4-aminophenyl)-N-(3-phenyl(1H-indazol-5-yl))carboxamide;
(3-aminophenyl)-N-(3-phenyl(1H-indazol-5-yl))carboxamide;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl)) (2-methylphenyl)carboxamide;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl))(2-methoxyphenyl)carboxamide;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl))(4-phenylphenyl)carboxamide;
benzo(b)thiophen-2-yl-N-(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;
methyl 4-{N-(3-(4-fluorophenyl)-1H-indazol-5-yl)carbamoyl}benzoate;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-2-pyridylcarboxamide;
4-{N-(3-(4-fluorophenyl)-1H-indazol-5-yl)carbamoyl}benzoic acid;
cyclopropyl-N-(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;
methyl 4-{N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-N-methylcarbamoyl}benzoate;
4-{N-(3-fluorophenyl)(1H-indazol-5-yl))-N-methylcarbamoyl}benzoic acid;
methyl 3-{N-((4-fluorophenyl)-1H-indazol-5-yl)carbamoyl}benzoate;
3-{N-(3-(4-fluorophenyl)-1H-indazol-5-yl)carbamoyl}benzoic acid;
N-(3-(4-fluorophenyl)-(1H-indazol-5-yl))(4-(N-
methylcarbamoyl)phenyl)carboxamide;
4-{N-(3-(4-fluorophenyl)-1H-indazol-5-yl)carbamoyl}benzamide;

1-4-{N-(3-(4-methoxyphenyl)-1H-indazol-5-yl)carbamoyl}benzoic acid;
4-(N-(3-(4-pyridyl)-1H-indazol-5-yl)carbamoyl)benzoic acid;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl)benzamide;
(3,4-bis(trifluoromethyl)phenyl)-N-(3-(4-fluorophenyl)(1H-indazol-5-yl))carboxamide;

B7
cont

N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-2-furylcarboxamide;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl))(3,4-dichlorophenyl)carboxamide;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl))(2-hydroxyphenyl)carboxamide;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-4-pyridylcarboxamide;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-3-pyridylcarboxamide;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl))-2-thienylcarboxamide;
N-(3-(4-fluorophenyl)(1H-indazol-5-yl))morpholin-4-yl-carboxamide;
[N-(((2R)-2-hydroxycyclohexyl)methyl) (3-(4-fluorophenyl) (1H-indazol-5-yl))carboxamide;] or a pharmaceutically acceptable salt thereof.

114. (Amended) A compound of claim 18, wherein the compound is:

B8

3-(3-(4-fluorophenyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;
5-(3-(4-fluorophenyl)(1H-indazole-5-yl))-3-methyl-4H-1,2,4-triazole;
5-{3-(4-fluorophenyl)(1H-indazole-5-yl)]-3-(methylethyl)-4H-1,2,4-triazole;
1-{5-(3-(4-fluorophenyl)-1H-indazole-5-yl)-4H-1,2,4-triazol-3-yl} propan-2-ol;
5-(3-(4-fluorophenyl)(1H-indazol-5-yl))-3-propyl-4H-1,2,4-triazole;
5-{3-(3-(methylethyl)phenyl)-1H-indazol-5-yl}-1H-1,2,4-triazole;
4-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)phenol;
(4-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)dimethylamine;
{2-(4-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenoxy)ethyl}dimethylamine;
3-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)furan;
1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-4-methoxybenzene;
5-(3-naphthyl-1H-indazol-5-yl)-1H-1,2,4-triazole;
3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)thiophene;
5-(3-(2-naphthyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;
3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)phenylamine;
3-(3-(3,4-dichlorophenyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;
3-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)benzo(b)thiophene;
3-(3-(4-methylphenyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;

N-(3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)phenyl)acetamide;
 5-(3-(3-chlorophenyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;
 2-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)benzo(b)furan;
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-4-(methylsulfonyl)benzene;
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-4-(methylsulfinyl)benzene;
 5-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)-2H-benzo(d)1,3-dioxolene;
 4-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)phenylamine;
 5-{3-(4-(trifluoromethyl)phenyl)-1H-indazol-5-yl}-1H-1,2,4-triazole;
 (3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(methylsulfonyl)amine;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-methoxyacetamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-phenylacetamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-furylcarboxamide;
 5-(3-(2-phenylethynyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-pyridylcarboxamide;
 1-{5-{3-(4-fluorophenyl)-1H-indazol-5-yl}-4H-1,2,4-Triazol-3-yl}ethan-1-ol;
 1-{5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazol-3-yl}propan-2-ol;
 {3-(3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenoxy)propyl}dimethylamine;
 {2-(3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenoxy)ethyl}dimethylamine;
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-morpholin-4-yl-ethoxy)benzene;
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-pyrrolidinyloxy)benzene;
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-piperidinyloxy)benzene;
 1-{2-(3-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)phenoxy)ethyl}pyrrolidin-2-

one;

1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-piperazinylethoxy)benzene;
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(3-piperidylpropoxy)benzene;
 4-{2-(3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenoxy)ethyl}-1-

acetylpiperazine;

2-(3-(5-(1H-1,2,4-triazol-5-yl)-1H-indazol-3-yl)phenoxy)ethylamine;
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-cyclohexyloxy)benzene;
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-

azaperhydropinylethoxy)benzene;

N-(4-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-2-furyl carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-benzyl carboxamide;

5-(3-(2-chlorophenyl)-1H-indazol-3-yl)-1H-1,2,4-triazole;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(2,2-dimehtylpropyl)carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(cyclopropylmethyl)carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(3-pyridylmethyl)carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-4-methyl piperazinyl ketone;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((4-fluorophenyl)methyl)carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-indan-2-ylcarboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((1R)indanyl)carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((1S)indanyl)carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((1S,2R)-2-hydroxyindanyl)carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((2S,1R)-2-hydroxyindanyl)carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(1-methyl-1-phenylethyl)carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(tert-butyl)carboxamide;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-((1R)-1-phenylethyl)carboxamide;

1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-piperidylethoxy) benzene;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-isoindolin-2-yl ketone;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(2-(dimethylamino)ethyl)carboxamide;
 1-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))-3-(2-piperidylethoxy) benzene;
 (3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenyl)-N-(1R)indanyl benzene;
 {5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-(1,2,4)-triazol-3-ylmethyl}-dimethylamine;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-piperidylpropanamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-hydroxypropanamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-
 (dimethylamino)acetamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)phenyl)butanamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-phenoxypropanamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3,3-dimethylbutanamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)cyclopropylcarboxamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(6-chloro(3-
 pyridyl))carboxamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)cyclopentylcarboxamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)benzo(b)thiophen-2-
 carboxamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-pyridylcarboxamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-furylcarboxamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-hydroxy-2-
 phenylacetamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)isoxazol-5-ylcarboxamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)pentanamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-4-pyridylcarboxamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-cyclohexylacetamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-propanamide;
 N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-(4-fluorophenyl)acetic
 acid;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(2R)-2-hydroxy-2-
 phenylacetamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(2S)-2-hydroxy-2-
 phenylacetamide;

(2-{3-(3-(4-fluorophenyl)(1H-indazol-5-yl))(1H-1,2,4-triazol-5-
 yl)}ethyl)dimethylamine;

diethyl({3-(3-(4-fluorophenyl)(1H-indazol-5-yl))(1H-1,2,4-triazol-5-
 yl)}methyl)amine;

({3-(3-(4-fluorophenyl)(1H-indazol-5-yl))(1H-1,2,4-triazol-5-
 yl)}methyl)methylamine;

{3-(3-(4-fluorophenyl)(1H-indazol-5-yl))(1H-1,2,4-triazol-5-yl)}
ethyl)dimethylamine;

(2R)-N-(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-2-hydroxy-2-phenylacetamide;

N-(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-3,3-dimethylbutanamide;

N-(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-3-methylbutanamide;

N-(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-3-pyridylcarboxamide;

(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-N-((4-fluorophenyl)methyl)carboxamide;

(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)-N-((*tert*-butyl)methyl)carboxamide;

((1R)indanyl)(3-(5-{5-((dimethylamino)methyl)(1H-1,2,4-triazol-3-yl)}(1H-indazol-3-yl))phenyl)carboxamide;

{3-(3-(4-methoxyphenyl)(1H-indazol-5-yl))(1H-1,2,4-triazol-5-yl)}methyl)dimethylamine;

{(3-(3-(2H-benzo(d)1,3-dioxolen-5-yl))(1H-indazol-5-yl))(1H-1,2,4-triazol-5-yl)}methyl}dimethylamine;

(3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-N-(2-piperidylethyl)carboxamide;

((5-(3-benzo(D)furan-2-yl)(1H-indazol-5-yl))(1H-1,2,4-triazol-3-yl))methyl)dimethylamine;

(3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-N-benzamide;

(3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-N-(4-fluorophenyl)carboxamide-2HCl;

(3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-N-indan-2-yl-carboxamide;

(3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-N-cyclopropylcarboxamide;

(3-(5-(3-((dimethylamino)methyl)(1H-1,2,4-triazol-5-yl))(1H-indazol-3-yl))phenyl)-N-cyclobutylcarboxamide-2HCl;

1-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl)-3-(2-methoxyethoxy)benzene;

1-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl)-3-(3-pyridylmethoxy)benzene;

3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)benzoic acid;

3-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)benzoic acid N-(4-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-(3-pyridyl)acetamide;

N-(4-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-phenylacetamide;

N-(4-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-methoxyacetamide;

N-(4-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-(dimethylamino)acetamide;

(4-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(methylsulfonyl)amine;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(2-methoxyethyl)carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-benzamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(2-phenethyl)carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(2-piperidylethyl)carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(2-morpholin-4-ylethyl)carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-cyclohexylcarboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-cyclopentylcarboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(4-

fluorophenyl)carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-((1R,2R)-2-phenylcyclopropyl) carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-cyclopropylcarboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(3-pyridyl)carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(5,6,7,8-tetrahydronaphthyl)carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-(1-benzyl(4-piperidyl))carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl-N-(1-benzylpyrrolidin-3-yl)carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl-N-(methylethyl)carboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl-N-cyclobutylcarboxamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl-N-(4-pyridyl)carboxamide;

6-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)-2H,3h-benzo(e)1,4-dioxin;

6-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))-2-methoxynaphthalene;

3-(3-(3-quinoyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;

5-(5-(1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl)-2,3-dihydrobenzo(b)furan;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)benzamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(2,4-dichlorophenyl)carboxamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(4-methoxyphenyl)carboxamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(4-methylphenyl)carboxamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)(4-chlorophenyl)carboxamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-methylpropanamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-methylbutanamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-morpholin-4-yl-acetamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-(4-methylpiperazinyl)acetamide;

2-methoxy-6-{5-(5-(pyrrolidinylmethyl)(1H-1,2,4-triazol-3-yl))(1H-indazol-3-yl)}naphthalene;

N-phenyl(3-{5-(5-(pyrrolidinylmethyl)(1H-1,2,4-triazol-3-yl))(1H-indazol-3-yl)}phenyl)carboxamide;

6-{5-(5-(pyrrolidinylmethyl)-1H-1,2,4-triazol-3-yl)-1H-indazol-3-yl}-2H,3H-benzo(e)1,4-dioxin; or a pharmaceutically acceptable salt thereof.

115. (Amended) A compound of claim 19, wherein the compound is:

5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-2H-1,2,3,4-tetrazole;

1-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))-2-methoxybenzene;

BS
CMT

5-(3-(3-pyridyl)-1H-indazol-5-yl)-2H-1,2,3,4-tetrazole;
2-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)thiophene;
5-{3-(4-(methylethyl)phenyl)-1H-indazol-5-yl}-2H-1,2,3,4-tetrazole;
2-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)furan;
3-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)phenylamine;
5-(5-(1H-1,2,3,4-tetraazol-5-yl)-1H-indazol-3-yl)-2H-benzo(d)1,3-dioxolene;
3-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)thiophene;
5-(3-(2-naphthyl)-1H-indazol-5-yl)-1H-1,2,3,4-tetrazole;
1-(5-(1H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))-4-methoxybenzene;
1-(5-(1H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))-4-(2-methylpropoxy)benzene;
5-(3-(4-chlorophenyl)-1H-indazol-5-yl)-2H-1,2,3,4-tetrazole;
1-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))-3-methoxybenzene;
5-(3-(4-pyridyl)-1H-indazol-5-yl)-2H-1,2,3,4-tetrazole;
2-(5-(2H-1,2,3,4-tetraazol-5-yl)-1H-indazol-3-yl)benzo(b)furan;
2-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)phenol;
3-(5-(2H-1,2,3,4-tetrazol-5-yl)-1H-indazol-3-yl)phenol;
5-(3-(2-phenylethynyl)-1H-indazol-5-yl)-1H-1,2,3,4-tetrazole;
5-(3-(2-phenylethyl)-1H-indazol-5-yl)-2H-1,2,3,4-tetrazole;
N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-2-methoxyacetamide;
2-(5-(1H-1,2,3,4-tetraazol-5-yl)-1H-indazol-3-yl)benzo(b)thiophene;
1-(5-(1H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))-4-(2-morpholin-4-ylethoxy)benzene;
N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-2-phenoxypropanamide;
N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-3-
piperidylpropanamide;
N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-2-furylethoxycarboxamide;
1-(5-(1H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))-3-(2-morpholin-4-ylethoxy)benzene;
4-(5-(2H-1,2,3,4-tetraazol-5-yl)(1H-indazol-3-yl))-1,2-dimethoxybenzene;
N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-3-methoxypropanamide;
N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)-3-pyridylethoxycarboxamide;

{3-(4-(5-(1H-1,2,3,4-tetrazo-5-yl)(1H-indazol-3-yl))phenoxy)propyl}

dimethylamine;

{3-(3-(5-(1H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenoxy)propyl}

dimethylamine;

{2-(3-(5-(1H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenoxy)ethyl} dimethylamine;

N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)(2S)-2-

hydroxypropanamide;

N-(4-(5-(2H-1,2,3,4-tetrazo-5-yl)(1H-indazol-3-yl))phenyl)-3-pyridylcarboxamide;

or a pharmaceutically acceptable salt thereof.

Please add new claims 118 and 119 to recite as follows:

✓ 118. (New) A compound, wherein the compound is:

ethyl 1-{{3-(4-fluorophenyl)-1H-indazol-5-yl}carbonyl}piperidine-4-carboxylate;

2-{N-(3-(4-fluorophenyl)-1H-indazol-5-yl)carbamoyl}phenyl)methyl benzoate;

N-(3-(4-fluorophenyl)(1H-indazol-5-yl))((4-fluorophenyl)amino)carboxamide;

5-nitro-3-phenyl-1H-indazole;

5-amino-3-phenyl-1H-indazole;

N-{2-(3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenoxy)ethyl}

(phenylmethoxy) carboxamide;

N-{2-(3-(5-(1H-1,2,4-triazol-5-yl)(1H-indazol-3-yl))phenoxy)ethyl}acetamide;

2E-N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-3-phenylprop-2-

enamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-indol-3-yl-2-

oxoacetamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)methane carboxylic acid;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-(2-furyl)-2-

oxoacetamide;

N-(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-2-oxo-2-phenylacetamide;

(3-(5-(1H-1,2,4-triazol-3-yl)(1H-indazol-3-yl))phenyl)-N-{2-(1-benzyl(4-

piperidyl))ethylcarboxamide;

(1S)-1-{N-(3-(5-(2H-1,2,3,4-tetrazol-5-yl)(1H-indazol-3-yl))phenyl)

carbamoyl}ethyl acetate;

or a pharmaceutically acceptable salt thereof.

✓ 119. (New) A compound, wherein the compound is:

3-phenyl-5-trifluoromethyl-1H-indazole;

5-methyl-3-phenyl-1H-indazole;

3-(4-fluorophenyl)-5-pyrazol-3-yl-1H-indazole;

5-benzimidazol-2-yl-3-(4-fluorophenyl)-1H-indazole;

5-{3-(4-fluorophenyl)(1H-indazol-5-yl)}-3-phenyl-4H-1,2,4-triazole;

2-{5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazol-3-yl} furan;

5-(3-(4-fluorophenyl)(1H-indazol-5-yl))-3-(4-pyridyl)-4H-1,2,4-triazole;

3-(4-chlorophenyl)-5-(3-(4-fluorophenyl)(1H-indazol-5-yl))-4H-1,2,4-triazole;

5-(3-(4-fluorophenyl)(1H-indazol-5-yl))-3-(4-nitrophenyl)-4H-1,2,4-triazole;

1-{5-(3-(4-fluorophenyl)(1H-indazol-5-yl))(4H-1,2,4-triazol-3-yl)}-4-

methoxybenzene;

4-{5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazol-3-yl} phenylamine;

5-(3-(4-fluorophenyl)(1H-indazol-5-yl))-3-benzyl-4H-1,2,4-triazole;

2-(3-(4-fluorophenyl)(1H-indazol-5-yl))-5-phenyl-1,3,4-oxadiazole;

5-(3-(4-fluorophenyl)(1H-indazol-5-yl))-2-methyl-1,3,4-oxadiazole;

ethyl (2E)-3-(3-(4-fluorophenyl)-1H-indazol-5-yl)prop-2-enoate;

3-(3-(4-fluorophenyl)-1H-indazol-5-yl)propanoic acid;

5-(3-(4-fluorophenyl)(1H-indazol-5-yl))-3-(3-pyridyl)-4H-1,2,4-triazole;

4-{5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazol-3-yl} phenol;

2-{5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazol-3-yl} acetic acid;

ethyl 3-{5-{3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazol-3-yl}propanoate;

ethyl 4-{5-{3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazol-3-yl}butanoate;

3-{5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazol-3-yl}propanoic acid;

5-methyl-3-(4-fluorophenyl)-1H-indazole;

3-(3-(4-fluorophenyl)-1H-indazol-5-yl)-1,2,4-oxadiazolin-5-one;

3-(4-fluorophenyl)-5-(2-phenylethynyl)-1H-indazole;

5-((1E)-2-phenylvinyl)-3-(4-fluorophenyl)-1H-indazole;

5-((1E)-2-(2-pyridylvinyl)-3-(4-fluorophenyl)-1H-indazole;

4-((1E)-2-((3-(4-fluorophenyl)-1H-indazol-5-yl)vinyl)benzoic acid;

5-((1E)-2-(3-nitrophenylvinyl)-3-(4-fluorophenyl)-1H-indazole;

5-((1Z)-2-phenylvinyl)-3-(4-fluorophenyl)-1H-indazole;

B⁹
cont

5-((1E)-2-(4-aminophenyl)vinyl)-3-(4-fluorophenyl)-1H-indazole;
5-((1E)-2-(4-pyridyl)vinyl)-3-(4-fluorophenyl)-1H-indazole;
(2E)-3-(3-(4-fluorophenyl)-1H-indazol-5-yl)prop-2-enoic acid;
5-(2-(3-aminophenyl)ethyl)-3-(4-fluorophenyl)-1H-indazole;
4-{2-(3-(4-fluorophenyl)-1H-indazol-5-yl)ethyl}benzoic acid;
3-(4-fluorophenyl)-5-(2-(2-pyridyl)ethyl)-1H-indazole;
3-(4-fluorophenyl)-5-(2-phenylethyl)-1H-indazole;
1-(3-(4-fluorophenyl)-1H-indazol-5-yl)-2-phenylethan-1-ol;
4-(3-(4-fluorophenyl)-1H-indazole-5-yl)pyrimidine-2-ylamine;
5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazole-3-yl-amine;
1-({5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-4H-1,2,4-triazol-3-yl}methyl)piperidin-4-ol;
1-acetyl-4-({5-(3-(4-fluorophenyl)(1H-indazol-5-yl))(4H-1,2,4-triazol-3-yl)}methyl)piperazine;
3-(3-(4-fluorophenyl)(1H-indazol-5-yl))-5-(piperidylmethyl)-1H-1,2,4-triazole;
4-({3-(3-(4-fluorophenyl)(1H-indazol-5-yl))-1H-1,2,4-triazol-5-yl}methyl)morpholine;
4-({5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-1,3,4-oxadiazol-2-yl}methyl)morpholine;
1-({3-(3-(4-fluorophenyl)-1H-indazol-5-yl)-1H-1,2,4-triazol-5-yl}methyl)pyrrolidine-2-one;
(5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-1H-1,2,4-triazol-3-yl)methan-1-ol;
3-(3-(4-fluorophenyl)(1H-indazol-3-yl))-5-((4-pyrrolidinylpiperidyl)methyl)-1H-1,2,4-triazole;
3-(3-((1E)-2-phenylvinyl)-1H-indazol-5-yl)-1H-1,2,4-triazole;
1-((1E)-2-(5-(1H-1,2,4-triazol-3-yl))(1H-indazol-3-yl)vinyl)-4-methoxybenzene;
3-{3-((1E)-2-(4-chlorophenyl)vinyl)-1H-indazol-5-yl}-1H-1,2,4-triazole;
3-{3-((1E)-2-(4-methylphenyl)vinyl)-1H-indazol-5-yl}-1H-1,2,4-triazole;
4-({3-(3-(4-fluorophenyl)(1H-indazol-5-yl))-1H-1,2,4-triazol-5-yl}methyl)morpholine;
4-({5-(3-(4-fluorophenyl)-1H-indazol-5-yl)-1,3,4-oxadiazol-2-yl}methyl)morpholine;